
















LED bulbs series													
Module No.	Pic	Size (mm)		LED chip type	Power $\pm 0.5W$	CRI \geq	Driver	Color Temp.	Luminous lm $\pm 10\%$	Beam Angle	Life span	Lamp base	Gurantee years
		Dia	Height							Degrees	Hours		
ANP-A/G													
ANP-G45-5W AC180-265V		45	72	Epistar	5	80	selfmade IC driver	2700K-6500k	440lm	220°	35000hrs	E27/E26	3
ANP-G45-5W 100-240VPF0.9		50	92	Epistar	5	80	selfmade IC driver	2700K-6500k	440lm	220°	35000hrs	E27/E26	3
ANP-A55-7W AC180-265V		55	106	Epistar	7	80	selfmade IC driver	2700K-6500k	610lm	220°	35000hrs	E27/E26	3
ANP-A55-7W 100-240VPF0.9		55	106	Epistar	7	80	selfmade IC driver	2700K-6500k	610lm	220°	35000hrs	E27/E26	3
ANP-A60-9W AC180-265V		60	109	Epistar	9	80	selfmade IC driver	2700K-6500k	810lm	220°	35000hrs	E27/E26	3
ANP-A60-9W 100-240VPF0.9		60	109	Epistar	9	80	selfmade IC driver	2700K-6500k	810lm	220°	35000hrs	E27/E26	3
ANP-A65-12W AC180-265V		65	124	Epistar	12	80	selfmade IC driver	2700K-6500k	1020lm	220°	35000hrs	E27/E26	3
ANP-A65-12W 100-240VPF0.9		65	124	Epistar	12	80	selfmade IC driver	2700K-6500k	1020lm	220°	35000hrs	E27/E26	3
ANP-G80-10W AC180-265V		80	108	Epistar	10	80	selfmade IC driver	2700K-6500k	850lm	220°	35000hrs	E27/E26	3
ANP-G80-10W 100-240VPF0.9		80	108	Epistar	10	80	selfmade IC driver	2700K-6500k	850lm	220°	35000hrs	E27/E26	3

ANP-G95-12W AC180-265V		95	126	Epistar	12	80	selfmade IC driver	2700K-6500k	1020lm	220°	35000hrs	E27/E26	3
ANP-G95-12W 100-240VPF0.9		95	126	Epistar	12	80	selfmade IC driver	2700K-6500k	1020lm	220°	35000hrs	E27/E26	3
ANP-G120-15W AC180-265V		120	152	Epistar	15	80	selfmade IC driver	2700K-6500k	1300lm	220°	35000hrs	E27/E26	3
ANP-G120-15W 100-240VPF0.9		120	152	Epistar	15	80	selfmade IC driver	2700K-6500k	1300lm	220°	35000hrs	E27/E26	3
ANP-T7 CFL bulb and PL replacement													
ANP-T7A-7W		38	108	Epistar	7	80	selfmade IC driver	2700K-6500k	600lm	270°	35000hrs	E27/E26/E14 /G24/B22	3
ANP-T7A-11W		38	153	Epistar	11	80	selfmade IC driver	2700K-6500k	1100lm	270°	35000hrs	E27/E26/E14 /G24/B22	3
LED MR16 AC/DC12V bulbs													
ANP-MR16-GU5.3-3W DC12V		47	50	Epistar	3	80	selfmade IC driver	2700K-6500k	230lm	120°	35000hrs	GU5.3	3
ANP-MR16-GU5.3-5W-1 DC12V		47	50	Epistar	5	80	selfmade IC driver	2700K-6500k	370lm	120°	35000hrs	GU5.3	3
ANP-MR16-GU5.3-3W 230V		50	51	COB	3	80	selfmade IC driver	2700K-6500k	240lm	60°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-5W 230V		50	51	COB	5	80	selfmade IC driver	2700K-6500k	400lm	60°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-7W 230V		50	51	COB	7	80	selfmade IC driver	2700K-6500k	560lm	60°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-5W-2 DC12V		50	51	Epistar	5	80	selfmade IC driver	2700K-6500k	380lm	120°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-7W-COB DC12V		50	51	COB	7	80	selfmade IC driver	2700K-6500k	490lm	60°	25000hrs	GU5.3	3

ANP-MR16-GU5.3-7W DC12V		50	51	Epistar	7	80	selfmade IC driver	2700K-6500k	500lm	120°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-6W DC12V DIM		50	51	Epistar	6	80	selfmade IC driver	2700K-6500k	400lm	120°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-3W 175-265VAC		50	51	Epistar	3	80	selfmade IC driver	2700K-6500k	240lm	120°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-5W 175-265VAC		50	51	Epistar	5	80	selfmade IC driver	2700K-6500k	400lm	120°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-3W-COB DC12V		50	44	COB	3	80	selfmade IC driver	2700K-6500k	230lm	35°	25000hrs	GU5.3	3
ANP-MR16-GU5.3-5W-COB DC12V		50	50	COB	5	80	selfmade IC driver	2700K-6500k	360lm	35°	25000hrs	GU5.3	3